


VINSPIRE AGROTECH (I) PVT. LTD.



GST NO-24AABCZ1147P1Z1

53/SANKHESWAR EASSTATE,BEHIND ROSE HOTEL,NR. GUJARAT OFFSET CROSS ROAD,VATVA,AHMEDABAD GUJARAT,382440.
MOB-7046460846. EMAIL-VINSPIREAGROTECH@GMAIL.COM

WWW.VINSPIREAGROTECH.IN

MILKING MACHINE

1 VINSPIRE MANUAL MILKING MACHINE		<ul style="list-style-type: none">• Brand : Indian• Product Type : Milking machine• Brand : India• Control System : Manual• Bucket Material : Stainless Steel• Pulsing : Alternating (two teasts/stroke)• Time required for milking cow : 3 to 4 min• Milking Can Capacity : 15 liters• Productivity : 10-15 cows/hour• Weight : 8 kg (Approx) <p>Features :</p> <ul style="list-style-type: none">• 100% pure milk.• Advance Model• Does not harm to your pets• Easiest Cleaning• Time Saving & Work Saving• Fully Vaccum, Silicon lanners & cluster based machine.• Cost effective & energy saving• Easily operated by hand, no need of electric power.• Milk Extraction Applicable :
--	--	--

			Cow, Buffalo
2	VINSPIRE TROLLY MILKING MACHINE		<p>1)Capacity:One cow can be milked at a time Milking of 1 cow in 4 to 5 minutes is Possible</p> <p>Milking of 8 cows in 32 to 40 minutes is possible</p> <p>2) Vacuum Pump: 200LPM Oil type monoblock</p> <p>3) Motor: 0.75 HP Single Phase</p> <p>4)Can/Bucket:20 Ltr. Stainless Steel</p> <p>5) Vacuum Tank :50 Ltr. with Automatic Drain Valve</p> <p>6) Filter Tank:15 Ltr.Powder coated washable stainless tank (Easy to wash)</p>
3	VINSPIRE 2 IN 1 MILKING MACHINE		<p>MILKING CAN CAPACIT :15LTR</p> <p>MILK EXTRACTION APPLICABLE TO: COW AND BUFFLOW</p> <p>AYTOMATION GRADE:- SEMI AUTOMATIC</p> <p>DESIGN TYPE : -TROLLY</p> <p>NUMBER OF BUCKETS:- INGLE BUCKET</p> <p>MILKING CLUSTER:- SINGLE CLUSTER</p> <p>COW/HOUR:- 12 TO 15</p> <p>MOTOR POWER :-1HP</p> <p>VACCUM SPEED: 300LPM</p>

VINSPIRE
650LPM
MILKING
MACHINE



- 1)Capacity : Two to three cow can be milked at a time Milking of 1 cow in 3 to 4 minutes is Possible
- 2)Vacuum Pump: 650 LPM
- 3)Motor :1 HP
- 4)Can/Bucket :25 Ltr. Stainless Steel (SS 304 Grade)
- 5) Vacuum Tank :50 Ltr. with Automatic Drain Valve
- 6)Filter Tank :50 Ltr.Powder coated washable stainless tank

(Easy to wash)
- 7)Pipeline System: 50 feet PVC with 4 cock or 50 feet flexible with 1 cock